

## Amendments to the Claims

1. (Original) A siloxane resin comprising the units:

- (i)  $(R^1_3SiO_{1/2})_a$
- (ii)  $(R^2_2SiO_{2/2})_b$
- (iii)  $(R^3SiO_{3/2})_c$  , and
- (iv)  $(SiO_{4/2})_d$

wherein

$R^1$  ,  $R^2$  , and  $R^3$  are independently an alkyl group having from 1 to 8 carbon atoms,  
an aryl group, a carbinol group, or an amino group,

a has a value 0.05 to 0.5,

b has a value of zero to 0.3,

c has a value greater than zero,

d has a value of 0.05 to 0.6,

the value of  $a + b + c + d = 1$ ,

with the proviso that greater than 40 mole % of the  $R^3$  groups in the siloxane resin are propyl.

2. (Original) The siloxane resin of claim 1 wherein the siloxane resin is selected from  
MQ-T propyl resins comprising the units;

- $((CH_3)_3SiO_{1/2})_a$  ,
- $(R^3SiO_{3/2})_c$  , where  $R^3 = CH_3CH_2CH_2-$ , and
- $(SiO_{4/2})_d$

MQ-T propyl resins comprising the units;

- $((CH_3)_3SiO_{1/2})_a$  ,
- $((CH_3)_2SiO_{2/2})_b$  ,
- $(R^3SiO_{3/2})_c$  , where  $R^3 = CH_3CH_2CH_2-$ , and
- $(SiO_{4/2})_d$

MQ-T propyl resins comprising the units;

- $((CH_3)_3SiO_{1/2})_a$  ,

$((\text{CH}_3)_2\text{SiO}_{2/2})_b$ ,  $((\text{CH}_3)(\text{C}_6\text{H}_5)\text{SiO}_{2/2})_{b'}$ ,  
 $(\text{R}^3\text{SiO}_{3/2})_c$ , where  $\text{R}^3 = \text{CH}_3\text{CH}_2\text{CH}_2-$ , and  
 $(\text{SiO}_{4/2})_d$

MQ-T propyl resins comprising the units;

$((\text{CH}_3)_3\text{SiO}_{1/2})_a$ ,  
 $((\text{CH}_3)_2\text{SiO}_{2/2})_b$ ,  
 $(\text{R}^3\text{SiO}_{3/2})_c$ , where  $\text{R}^3 = \text{CH}_3\text{CH}_2\text{CH}_2-$ , and  $(\text{C}_6\text{H}_5\text{SiO}_{3/2})_c$   
 $(\text{SiO}_{4/2})_d$

MQ-T propyl resins comprising the units;

$((\text{CH}_3)_3\text{SiO}_{1/2})_a$ ,  
 $((\text{CH}_3)_2\text{SiO}_{2/2})_b$ ,  $((\text{CH}_3)(\text{C}_6\text{H}_5)\text{SiO}_{2/2})_{b'}$ ,  
 $(\text{R}^3\text{SiO}_{3/2})_c$ , where  $\text{R}^3 = \text{CH}_3\text{CH}_2\text{CH}_2-$ ,  $(\text{C}_6\text{H}_5\text{SiO}_{3/2})_c$ , and  
 $(\text{SiO}_{4/2})_d$

wherein a has a total value in the resin of 0.05 to 0.5, the sum of b + b' has a total value in the resin of zero to 0.3, c has a total value in the resin of 0.05 to 0.65, and d has a total value in the resin of 0.05 to 0.6.

3. (Original) A method of making a siloxane resin comprising reacting:

A) a MQ resin comprising at least 80 mole %  $(\text{R}^1_3\text{SiO}_{1/2})_a$  and  $(\text{SiO}_{4/2})_d$  units  
 where  $\text{R}^1$  is an alkyl group having from 1 to 8 carbon atoms, an aryl group,  
 a carbinol group, or an amino group,  
 a and d has a value greater than zero, and  
 the ratio of a/d is 0.5 to 1.5;

and

B) a T propyl resin comprising at least 80 mole %  $\text{R}^3\text{SiO}$  units,  
 where  $\text{R}^3$  is an alkyl group having from 1 to 8 carbon atoms,  
 an aryl group, a carbinol group, or an amino group,  
 c has a value greater than zero,  
 and with the provisio that at least 40 mole % of the  $\text{R}^3$  groups are propyl,

wherein the weight ratio of A/B is from 95:5 to 15:85.

4. (Original) A siloxane resin prepared by the method of claim 3.

5. (Currently Amended) A personal care product comprising the siloxane resin of claim 1-~~or~~4.

6. (Original) The personal care product of claim 5, where the personal care product is a cosmetic product.

7. (Original) The personal care product of claim 5, where the personal care product is a hair care product.

8. (New) A personal care product comprising the siloxane resin of claim 4.

9. (New) The personal care product of claim 8, where the personal care product is a cosmetic product.

10. (New) The personal care product of claim 8, where the personal care product is a hair care product.